nemax® F

Entomopathogenic nematodes



Features

A product based on entomopathogenic nematodes (*Steinernema feltiae*), parasites of overwintering larvae of *Cydia pomonella* and other lepidopterans (*Cydia molesta*, *S. spuleri*, *S. tipuliformis*, *E. bigella*, *C. funebrana*, *A. lineatella*, *C. splendana*, *C. fagiglandana*). Formulated on a nutritional substrate based on yeasts that enhances the vitality of nematodes; with appropriate temperature and humidity, they have high mobility and are capable of actively tracking larvae and penetrating them through openings (anus, mouth). Once inside, the nematodes release symbiotic bacteria of the genus Xenorhabdus, which cause the death of the insect in about 48 hours. If weather conditions permit, the nematodes multiply inside the larva and can infect other larvae.

Fields of application

Effective against overwintering larvae of codling moth and other lepidopterans on all crops.

COMPOSITION	Entomopathogenic nematodes (Steinernema feltiae) Shelf-life 16 weeks
HAZARD CLASSIFICATION	The product is not classified as hazardous according to Regulation (EC) 1272/2008 (CLP)
FORMULATION	New gel formulation
PRE-HARVEST INTERVAL	Not applicable
PACKAGING	Bag containing 250 millions of nematodes - Box of 6 bags

Updated: 2026/11

SERBIOS SRL

Via E.Fermi, 112 Tel +39 0425 590622
45021 Badia Polesine RO Fax +39 0425 590876
Italy info@serbios.it

www.serbios.it